

16. Lebastchi J and Herold KC. Immunologic and Metabolic Biomarkers of b-Cell Destruction in the Diagnosis of Type 1 Diabetes. Cold Spring Harb Perspect Med. 2012, 2:a00770
17. Fritsche A. Insulin Secretion Capacity as a Crucial Feature to Distinguish Type 1 From Type 2 Diabetes and to Indicate the Need for Insulin Therapy – A Critical Discussion of the ADA/EASD Consensus Statement on the Management of Type 1 Diabetes in Adults. Exp Clin Endocrinol Diabetes. 2023,131: 500–503
18. The HAPO Study Cooperative Research Group. Hyperglycemia and Adverse Pregnancy Outcomes. 2008, vol. 358:19
19. Li X. et al. Diagnosis of insulinoma using the ratios of serum concentrations of insulin and C-peptide to glucose during a 5-hour oral glucose tolerance test. Endocrine Journal. 2017, 64 (1), 49-57,2017
20. Metzger BE et al. In: Diabetes in America. 3rd edition. Bethesda (MD): National Institute of Diabetes and Digestive and Kidney Diseases (US); 2018 Aug. CHAPTER 4
21. McE Akuta N et al. Predictors of Insulin Secretion in Japanese Patients with Histopathologically-confirmed Non-alcoholic Fatty Liver Disease Intern Med. 2020, 59: 329-338
22. McEachron KR. Performance of modified IglS criteria to evaluate islet autograft function after total pancreatectomy with islet autotransplantation. Transpl Int. 2021, 34(1): 87–96.
23. Nkuna DX et al. The stability of C-peptide and insulin in plasma and serum samples under different storage conditions. Clin Chem Lab Med. 2023; 61(12): 2150–2158
24. Bükmann Larsen P. Reference intervals for C-peptide and insulin derived from a general adult Danish population. Clinical Biochemistry. 2017, 50:408–413

Please use only the valid version of the Instructions for Use provided with the kit

Symbols

	Storage temperature		Manufacturer		Contains sufficient for <n> tests
	Use-by date	LOT	Batch code		
	Consult instructions for use	CONT	Content		
	Caution	REF	Catalogue number		Distributor
	Date of manufacture			RUO	For research use only!